




THE NEW GENERATION OF PRINT & APPLY

XPA 934

XPA



COMPACT, FLEXIBLE, ROBUST

—

A SYSTEM FOR A LIFETIME



MAXIMUM FLEXIBILITY FOR
INTEGRATION IN PRODUCTION LINES



MORE OPTIONS TO DEVELOP
SMALL SIZED LABELING SOLUTIONS

Weight: - 25%

Depth: - 7%

Width: - 12%

Height: - 6%






CAN BE MOUNTED IN ANY CONCEIVABLE
POSITION ON THE PRODUCTION LINE
(TOP, SIDE, BOTTOM LABELING)



VARIOUS MOUNTING POSSIBILITIES OF
OPTIONAL ACCESSORIES E.G. LABEL
UNWINDER OR APPLICATORS





ROBUST HOUSING WITH
STURDY METAL FRAME



THE DESIGN WITHOUT FAN
PREVENTS DUST ADMISSION

XPA


IT DOESN'T GET ANY
EASIER THAN THIS...



PARTICULARLY QUICK AND
EASY INSERTION OF
LABEL AND RIBBON MATERIAL



DYNAMIC ADJUSTMENT OF
WEB TENSION – NO OPERATOR
INTERFERENCE NEEDED



XPA




MATERIAL CHANGE:
LIVE

100% TOOL-FREE
EXCHANGE OF WEAR PARTS

100% TOOL-FREE CLEANING

AUTOMATIC SETTING OF PRINT HEAD
PARAMETERS SUCH AS PRESSURE
AND CONTRAST



XPA




A PRINthead
YOU WILL
FALL IN LOVE WITH.
AGAIN, AND AGAIN...

HIGH QUALITY
CORNER-EDGE
PRINTING



NO
ERRORS



EASY TO
PLUG IN



DURABLE BASE
PLATE

XPA



A DISPLAY OF AFFECTION

INCREASED
SIZE AND HIGH
CONTRAST

EASY-TO-USE
INTERFACE
WITH ICONS

DURABLE
AND EASY-TO-
PRESS
BUTTONS





ROTATES IN
BOTH DIRECTIONS
AT ANY ANGLE



EASY
READING AND USAGE
REGARDLESS
OF MACHINE POSITION





READY




WARNINGS



ERRORS



XPA



PRINT & APPLY 4.0



MULTI-STAGE, CONFIGURABLE I/O
WITH M12 CONNECTORS FOR FLEXIBLY
ADAPTABLE SYSTEM INTERFACES



REMOTE OPERATION
VIA AN 7" PANEL PC INCLUDING
REAL-TIME DATA RETRIEVAL AND
STATUS MESSAGES

XPA



SUITABLE FOR A MAJORITY
OF APPLICATIONS

THE MAIN SPECIFICATIONS OF THE XPA 934

12"/300 mm

PRINTSPEED UP TO
12"/300 MM PER SEC

130 mm

MATERIAL WIDTH
UP TO 130 MM

104 mm

PRINT WIDTH
UP TO 130 MM

THE MAIN SPECIFICATIONS OF THE XPA 934

300 mm

LABEL ROLLS WITH
300 MM DIAMETER

600 m

RIBBON LENGTH
UP TO 600 METER


< 5 min.

MAINTENANCE TIME
BELOW 5 MINUTES

THE BENEFITS AT A GLANCE



MAXIMUM
USER-FRIENDLINESS



MAXIMUM INSTALLATION
FLEXIBILITY

100 %

**TOOL-FREE
MAINTENANCE**



REDUCTION OF ERRORS



REDUCED
DOWNTIME

NOVEXX

SOLUTIONS

www.novexx.com